EST. 1902

BUCK®

KNIVES

2026 DEALER CATALOG

INDEX

6 2026 NEW PRODUCTS

8 CLASSIC HUNTING

22 MODERN HUNTING

36 EVERYDAY CARRY

64 POCKET KNIVES

70 FISHING & OUTDOORS

78 SHARPENERS

80 TIN TACKER SIGNS

81 BUCK HATS

82 BUCK TEES

84 KNIFE DISPLAYS

86 KNIFE KNOWLEDGE

88 SALES TERRITORY MAP

89 SKU INDEX

BUCK® KNIVES is unapologetically rooted in legacy, committed to craftsmanship, and defined by our customer devotion since 1902. We believe integrity and self-reliance are never out of style. Our brand stands as a bellwether of getting the job done right for over 120 years.

SINCE 1902

HANDCRAFTED, CLASSIC BLADES

For over 120 years, Buck Knives has been building our classic knives by hand with American pride, timeless quality, and iconic style. Each classic knife reflects a legacy of quality, care, and precision, balancing everyday utility with the feel of something truly well made. And while Buck's heritage runs deep, it remains just as relevant today to the younger generations as it did to the first ones who witnessed the first releases of each knife. Buck is built for those who value authentic craftsmanship, timeless traditions, and pieces designed to last and be passed down.

119 SPECIAL
1942

110
FOLDING
HUNTER
1964

301
STOCKMAN
1967

192
VANGUARD
1994

113
RANGER
SKINNER
2011

103 SKINNER
HERITAGE SERIES
2025

112 SLIM
HERITAGE ELITE
2026

WHY BUCK?

SEE WHAT SETS US APART

Legendary heat treatment created by Paul Bos



All USA-made knifes built by our knifemakers in Idaho



Buck's famous Forever Warranty guarantees all knives forever

Buck's story begins in 1902, when Hoyt Buck, working as a blacksmith apprentice, set out to make a better blade, shaping knives from worn-out files. Through three states, seven locations, and five generations, that same commitment hasn't changed: Buck Knives continues to handcraft dependable, enduring knives made to be used, trusted, and passed down.

CRAFTSMANSHIP • HERITAGE • AUTHENTICITY

THE BUCK LEGACY

From our in-house heat treatment to our Forever Warranty, the process of building a knife the Buck way is what makes a Buck knife stand apart from its competition.

PAUL BOS HEAT TREATMENT

Heat treat could be called “temperature treating” since Buck uses a system of hot and cold to get the most from the steel. This system was pioneered by Paul Bos, whose heat treat formulas have proven to be the best in the business. Each blade is tempered to the appropriate Rockwell hardness through a heating, freezing, and reheating system that defines the properties desired from the steel.

FOREVER WARRANTY

FOREVER MEANS FOREVER

At Buck, we guarantee our knives forever because we believe in the integrity of our products. It was the philosophy of our founder, Hoyt Buck, that pioneered our Forever Warranty, and we continue to pass it down with each generation. Hoyt recognized what Buck knives have to offer and was committed to making them last.

HANDCRAFTED

Every USA-made Buck knife begins in Post Falls, Idaho, in the hands of craftsmen whose skill is earned through countless hours of practice and patience. Their work is deliberate, precise, and driven by a deep pride in what they build, and what it means to our customers. Each blade is hand-sharpened to a confident edge, every fit and finish shaped by experience and care. This is craftsmanship that has defined Buck for generations.

2026 NEW PRODUCTS

29 ALPHA BACKCOUNTRY SERIES

39 110 & 112 SLIM HERITAGE

41 724 MUSTANG

55 698 FERROX

55 700 NOMAD

CLASSIC HUNTING

TRADITION THAT HAS EARNED ITS PLACE

THE 110 FAMILY

For more than 60 years, the 110 Folding Hunter has defined what a dependable field knife should be. Handed down through generations and trusted season after season, it remains a symbol of Buck tradition. With its proven 420HC stainless steel blade, genuine ebony handle, and iconic lockback, the 110 continues to deliver the reliability, ruggedness, and unmistakable Buck character that made it legendary.

110 FOLDING HUNTER®

BLADE
Clip point, 420HC steel
BLADE LENGTH
3.75" (9.50 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.875" (12.38 cm)
WEIGHT
7.20 oz (204.00 g)
HANDLE
Crelicam™ genuine ebony, regular or finger grooved, with brass bolsters
SHEATH
Black, genuine leather, imported

GENUINE EBONY HANDLE

STANDARD | **BOX** MODEL 0110BRS-B CATALOG 9210 | **CLAM** MODEL 0110BRS-C CATALOG 1268
FINGER GROOVED | **BOX** MODEL 0110BRSFG-B CATALOG 2538

110 AUTO

BLADE
Clip point, 420HC steel
BLADE LENGTH
3.75" (9.53 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.875" (12.40 cm)
WEIGHT
7.10 oz (201.30 g)
HANDLE
Crelicam™ genuine ebony with brass bolsters
SHEATH
Black, genuine leather, made in the USA

AUTOMATIC ENGAGES WITH THE PUSH OF A BUTTON

GENUINE EBONY HANDLE

BOX MODEL 0110BRSA-B CATALOG 11197

The sale of automatic knives is federally regulated. See page 89 for details.

110 AUTO ELITE

BLADE
Clip point, MagnaCut steel
BLADE LENGTH
3.75" (9.53 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.875" (12.40 cm)
WEIGHT
7.30 oz (206.95 g)
HANDLE
Black G10 with brushed, nickel silver bolsters
SHEATH
Black, genuine leather, made in the USA

AUTOMATIC ENGAGES WITH THE PUSH OF A BUTTON

BOX MODEL 0110BKSA-B CATALOG 11667

The sale of automatic knives is federally regulated. See page 89 for details.

MAGNACUT

110 FOLDING HUNTER® LT

BLADE
Clip point, 420HC steel
BLADE LENGTH
3.75" (9.53 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.875" (12.40 cm)
WEIGHT
3.20 oz (90.70 g)
HANDLE
Black, glass-filled nylon
SHEATH
Black, heavy-duty polyester, imported

BOX MODEL 0110BKSLT-B CATALOG 11553 | **CLAM** MODEL 0110BKSLT-C CATALOG 11554



COMPACT CAPABILITY FOR THE OUTDOORS

THE 112 FAMILY

The Buck 112 Ranger is a compact, yet powerful, folding knife, perfect for hunters, hikers, and outdoor enthusiasts. With its 420HC stainless steel blade and sturdy lockback mechanism, the 112 delivers reliable cutting performance in a portable design. Its durable handle and time-tested construction make it a versatile tool for any adventure.

112 RANGER

BLADE
Clip point, 420HC steel
BLADE LENGTH
3.00" (7.60 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.25" (10.80 cm)
WEIGHT
5.60 oz (159.40 g)
HANDLE
Crelicam™ genuine ebony, regular or finger grooved, with brass bolsters
SHEATH
Black, genuine leather, imported

GENUINE EBONY HANDLE

STANDARD **BOX** MODEL 0112BRS-B CATALOG 2632 | **CLAM** MODEL 0112BRS-C CATALOG 1264
FINGER GROOVED **BOX** MODEL 0112BRSFG-B CATALOG 2539

112 AUTO

BLADE
Clip point, 420HC steel
BLADE LENGTH
3.00" (7.60 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.25" (10.80 cm)
WEIGHT
5.90 oz (167.30 g)
HANDLE
Crelicam™ genuine ebony with brass bolsters
SHEATH
Black, genuine leather, made in the USA

AUTOMATIC ENGAGES WITH THE PUSH OF A BUTTON
GENUINE EBONY HANDLE

BOX MODEL 0112BRSA-B CATALOG 11894

The sale of automatic knives is federally regulated. See page 89 for details.

112 AUTO ELITE

BLADE
Clip point, MagnaCut steel
BLADE LENGTH
3.00" (7.60 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.25" (10.80 cm)
WEIGHT
6.10 oz (172.90 g)
HANDLE
Black G10 with brushed, nickel silver bolsters
SHEATH
Black, genuine leather, made in the USA

AUTOMATIC ENGAGES WITH THE PUSH OF A BUTTON

BOX MODEL 0112BKSA-B CATALOG 11895

The sale of automatic knives is federally regulated. See page 89 for details.

MAGNA CUT

TIMELESS TRADITION, SUPERIOR CRAFTSMANSHIP

THE HERITAGE 100 SERIES

The Heritage 100 Series pays homage to Buck's legacy of fixed blade knives that are built for performance and durability. Featuring high-quality, 420HC stainless steel blades and classic DymaLux® cocobolo handles, these knives combine elegance with practicality. Perfect for outdoor enthusiasts and collectors alike, the Heritage 100 Series delivers trusted reliability with a touch of tradition.

102 BUCK WOODSMAN®

BOX MODEL 0102CCS1-B CATALOG 14187

103 SKINNER

BOX MODEL 0103CCS1-B CATALOG 14188

105 PATHFINDER®

BOX MODEL 0105CCS1-B CATALOG 14189

117 BRAHMA

BOX MODEL 0117CCS1-B CATALOG 14190

119 SPECIAL®

BOX MODEL 0119CCS1-B CATALOG 14191

120 GENERAL®

BOX MODEL 0120CCS1-B CATALOG 14192

BLADE
102: Clip point, 420HC steel
103: Extra wide skinner, 420HC steel
105: Modified clip point, 420HC steel
117: Clip point, 420HC steel
119: Clip point, 420HC steel
120: Clip point, 420HC steel

BLADE LENGTH
102: 4.00" (10.20 cm)
103: 4.00" (10.20 cm)
105: 5.00" (12.70 cm)
117: 4.50" (11.40 cm)
119: 6.00" (15.20 cm)
120: 7.375" (18.70 cm)

BLADE THICKNESS
102: 0.120" (0.305 cm)
103: 0.120" (0.305 cm)
105: 0.120" (0.305 cm)
117: 0.120" (0.305 cm)
119: 0.175" (0.445 cm)
120: 0.175" (0.445 cm)

OVERALL LENGTH
102: 7.75" (19.70 cm)
103: 8.25" (20.90 cm)
105: 9.125" (23.20 cm)
117: 8.75" (22.00 cm)
119: 10.50" (26.70 cm)
120: 12.00" (30.40 cm)

WEIGHT
102: 2.60 oz (73.70 g)
103: 4.30 oz (121.90 g)
105: 4.30 oz (121.90 g)
117: 4.90 oz (139.00 g)
119: 7.50 oz (213.50 g)
120: 8.30 oz (235.30 g)

HANDLE
DymaLux® cocobolo, aluminum pommel/guard

SHEATH
Black, genuine leather, imported

CLASSIC PERFORMANCE NEVER GOES OUT OF STYLE

THE CLASSIC 100 SERIES

Buck's traditional knife designs, characterized by their black phenolic handles and unmistakable blade profiles, are still the most popular choice among customers. They are rugged, undeniably iconic, and have been trusted companions for outdoor enthusiasts, and hunters for generations.

102 BUCK WOODSMAN®

BOX MODEL 0102BKS-B CATALOG 2628 | **CLAM** MODEL 0102BKS-C CATALOG 1271

103 SKINNER

BOX MODEL 0103BKS-B CATALOG 2659

105 PATHFINDER®

BOX MODEL 0105BKS-B CATALOG 2535 | **CLAM** MODEL 0105BKS-C CATALOG 1272

117 BRAHMA

BOX MODEL 0117BKS-B CATALOG 13453 | **CLAM** MODEL 0117BKS-C CATALOG 13454

119 SPECIAL®

BOX MODEL 0119BKS-B CATALOG 9207 | **CLAM** MODEL 0119BKS-C CATALOG 1273

120 GENERAL®

BOX MODEL 0120BKS-B CATALOG 2542

BLADE
102: Clip point, 420HC steel
103: Extra wide skinner, 420HC steel
105: Modified clip point, 420HC steel
117: Clip point, 420HC steel
119: Clip point, 420HC steel
120: Clip point, 420HC steel

BLADE LENGTH
102: 4.00" (10.20 cm)
103: 4.00" (10.20 cm)
105: 5.00" (12.70 cm)
117: 4.50" (11.40 cm)
119: 6.00" (15.20 cm)
120: 7.375" (18.70 cm)

BLADE THICKNESS
102: 0.120" (0.305 cm)
103: 0.120" (0.305 cm)
105: 0.120" (0.305 cm)
117: 0.120" (0.305 cm)
119: 0.175" (0.445 cm)
120: 0.175" (0.445 cm)

OVERALL LENGTH
102: 7.75" (19.70 cm)
103: 8.25" (20.90 cm)
105: 9.125" (23.20 cm)
117: 8.75" (22.00 cm)
119: 10.50" (26.70 cm)
120: 12.00" (30.40 cm)

WEIGHT
102: 2.60 oz (73.70 g)
103: 4.30 oz (121.90 g)
105: 4.30 oz (121.90 g)
117: 4.90 oz (139.00 g)
119: 7.50 oz (213.50 g)
120: 8.30 oz (235.30 g)

HANDLE
Black phenolic, aluminum pommel/guard

SHEATH
Black, genuine leather, imported

HANDSOME, ICONIC, VERSATILE

THE VANGUARD SERIES

A testament to Buck's longstanding tradition of American craftsmanship, these knives embody the heritage and hand-finished quality that have defined our work for generations. From their contoured handles to functionally robust drop point blades, every detail reflects a commitment to timeless craft. The result is a classic Buck knife, reliable, refined, and built for the wild.

192 VANGUARD

BLADE
Drop point, 420HC steel
BLADE LENGTH
4.125" (10.50 cm)
BLADE THICKNESS
0.140" (0.356 cm)
OVERALL LENGTH
8.50" (21.60 cm)
WEIGHT
6.30 oz (179.40 g)
HANDLE
DymaLux® walnut with polished, brass pommel and guard
SHEATH
Brown, genuine leather, imported

BOX MODEL 0192BRS-B CATALOG 2584

191 BUCK ZIPPER

BLADE
Guthook, 420HC steel
BLADE LENGTH
4.125" (10.50 cm)
BLADE THICKNESS
0.140" (0.356 cm)
OVERALL LENGTH
8.50" (21.60 cm)
WEIGHT
6.30 oz (179.40 g)
HANDLE
DymaLux® walnut with polished, brass pommel and guard
SHEATH
Brown, genuine leather, imported

BOX MODEL 0191BRG-B CATALOG 2550

692 VANGUARD

BLADE
Drop point, 420HC steel
BLADE LENGTH
4.125" (10.50 cm)
BLADE THICKNESS
0.140" (0.356 cm)
OVERALL LENGTH
8.50" (21.60 cm)
WEIGHT
6.60 oz (187.90 g)
HANDLE
Textured rubber with brass pommel and guard
SHEATH
Black, heavy-duty polyester, imported

BOX MODEL 0692BKS-B CATALOG 2615

691 BUCK ZIPPER

BLADE
Guthook, 420HC steel
BLADE LENGTH
4.125" (10.50 cm)
BLADE THICKNESS
0.140" (0.356 cm)
OVERALL LENGTH
8.50" (21.60 cm)
WEIGHT
6.60 oz (187.90 g)
HANDLE
Textured rubber with brass pommel and guard
SHEATH
Black, heavy-duty polyester, imported

BOX MODEL 0691BKG-B CATALOG 2607

A FIXED BLADE BUILT FOR PERFORMANCE

THE RANGER SKINNER

Blending classic Buck style with practical field performance, the 113 Ranger Skinner is designed for clean, confident cuts. The sweeping 420HC blade offers excellent control during game processing, and the ergonomic genuine ebony and brass handle feels steady in hand.

113 RANGER SKINNER

BLADE
Drop point, 420HC steel
BLADE LENGTH
3.125" (7.90 cm)
BLADE THICKNESS
0.120" (0.305 cm)
OVERALL LENGTH
7.25" (18.40 cm)
WEIGHT
5.20 oz (147.40 g)
HANDLE
Crelicam™ genuine ebony with brass bolster
SHEATH
Black, genuine leather, imported
FEATURE
Lanyard hole

GENUINE EBONY HANDLE

BOX MODEL 0113BRS-B CATALOG 3538 | **CLAM** MODEL 0113BRS-C CATALOG 3597

MODERN HUNTING

OPTIMIZED FOR THE HUNT

THE ALPHA SERIES

The Alpha Series delivers uncompromising performance for hunters who demand the best from their gear. Available in premium MagnaCut, S35VN, and Cerakoted 420HC steel options, these knives are engineered for exceptional edge retention, toughness, and reliability in harsh field conditions. From dressing game to rugged camp chores, the Alpha Series provides the precision and strength needed for any hunting challenge.

JIMPING FOR ADDED CONTROL DURING DETAILED TASKS
LANYARD HOLE
BUCK USA
VERSATILE DROP POINT BLADE
TEXTURED, REMOVABLE HANDLE FOR FIRM GRIP & EASY CLEAN UP

662 ALPHA SCOUT ELITE

BLADE
Drop point, flat grind blade with jimping, MagnaCut steel
BLADE LENGTH
2.875" (7.30 cm)
BLADE THICKNESS
0.140" (0.356 cm)
OVERALL LENGTH
6.50" (16.51 cm)
WEIGHT
3.10 oz (87.90 g)
HANDLE
Black, machine-textured G10
SHEATH
Black Kydex with belt attachment for multiple carry options, imported

BOX MODEL 0662BKS-B CATALOG 13782

663 ALPHA GUIDE ELITE

BLADE
Drop point, flat grind blade with jimping, MagnaCut steel
BLADE LENGTH
4.375" (11.11 cm)
BLADE THICKNESS
0.140" (0.356 cm)
OVERALL LENGTH
9.00" (22.86 cm)
WEIGHT
5.40 oz (153.10 g)
HANDLE
Black, machine-textured G10
SHEATH
Black Kydex with belt attachment for multiple carry options, imported

BOX MODEL 0663BKS-B CATALOG 13783

664 ALPHA HUNTER ELITE

BLADE
Drop point, flat grind blade with jimping, MagnaCut steel
BLADE LENGTH
3.75" (9.53 cm)
BLADE THICKNESS
0.140" (0.356 cm)
OVERALL LENGTH
8.125" (20.64 cm)
WEIGHT
5.20 oz (147.40 g)
HANDLE
Black, machine-textured G10
SHEATH
Black Kydex with belt attachment for multiple carry options, imported

BOX MODEL 0664BKS-B CATALOG 13784

662 ALPHA SCOUT PRO

BLADE
Drop point, flat grind blade with jimping, S35VN steel

BLADE LENGTH
2.875" (7.30 cm)

BLADE THICKNESS
0.140" (0.356 cm)

OVERALL LENGTH
6.50" (16.51 cm)

WEIGHT
2.79 oz (79.10 g)

HANDLE
Machine-textured Richlite or DymaLux® walnut

SHEATH
Burgundy, genuine leather, made in the USA

RICHLITE	**BOX**	**MODEL** 0662BRS-B	**CATALOG**	13463
WALNUT	**BOX**	**MODEL** 0662WAS-B	**CATALOG**	13464

663 ALPHA GUIDE PRO

BLADE
Drop point, flat grind blade with jimping, S35VN steel

BLADE LENGTH
4.375" (11.11 cm)

BLADE THICKNESS
0.140" (0.356 cm)

OVERALL LENGTH
9.00" (22.86 cm)

WEIGHT
5.00 oz (141.70 g)

HANDLE
Machine-textured Richlite or DymaLux® walnut

SHEATH
Burgundy, genuine leather, made in the USA

RICHLITE	**BOX**	**MODEL** 0663BRS-B	**CATALOG**	13622
WALNUT	**BOX**	**MODEL** 0663WAS-B	**CATALOG**	13623

664 ALPHA HUNTER PRO

BLADE
Drop point, flat grind blade with jimping, S35VN steel

BLADE LENGTH
3.625" (9.21 cm)

BLADE THICKNESS
0.140" (0.356 cm)

OVERALL LENGTH
8.125" (20.64 cm)

WEIGHT
4.59 oz (130.10 g)

HANDLE
Machine-textured Richlite or DymaLux® walnut

SHEATH
Burgundy, genuine leather, made in the USA

RICHLITE	**BOX**	**MODEL** 0664BRS-B	**CATALOG**	13465
WALNUT	**BOX**	**MODEL** 0664WAS-B	**CATALOG**	13466









NEW 662 ALPHA SCOUT BACKCOUNTRY

BLADE
Drop point, hollow grind, Cerakoted blade with jimping, 420HC steel

BLADE LENGTH
2.875" (7.30 cm)

BLADE THICKNESS
0.140" (0.356 cm)

OVERALL LENGTH
6.50" (16.51 cm)

WEIGHT
2.90 oz (82.10 g)

HANDLE
VersaFlex rubber and glass-filled nylon

SHEATH
Black Kydex sheath with belt attachment, imported

BOX MODEL 0662BKS1-B CATALOG 14518 | **CLAM** MODEL 0662BKS1-C CATALOG 14519

NEW 663 ALPHA GUIDE BACKCOUNTRY

BLADE
Drop point, hollow grind, Cerakoted blade with jimping, 420HC steel

BLADE LENGTH
4.375" (11.11 cm)

BLADE THICKNESS
0.140" (0.356 cm)

OVERALL LENGTH
9.125" (23.18 cm)

WEIGHT
5.05 oz (143.20 g)

HANDLE
VersaFlex rubber and glass-filled nylon

SHEATH
Black Kydex sheath with belt attachment, imported

BOX MODEL 0663BKS1-B CATALOG 14520 | **CLAM** MODEL 0663BKS1-C CATALOG 14521

NEW 664 ALPHA HUNTER BACKCOUNTRY

BLADE
Drop point, hollow grind, Cerakoted blade with jimping, 420HC steel

BLADE LENGTH
3.625" (9.21 cm)

BLADE THICKNESS
0.140" (0.356 cm)

OVERALL LENGTH
8.375" (21.27 cm)

WEIGHT
4.85 oz (137.50 g)

HANDLE
VersaFlex rubber and glass-filled nylon

SHEATH
Black Kydex sheath with belt attachment, imported

BOX MODEL 0664BKS1-B CATALOG 14522 | **CLAM** MODEL 0664BKS1-C CATALOG 14523

684 BUCKLITE MAX® II SMALL

BLADE
Drop point, 420HC steel
BLADE LENGTH
3.25" (8.26 cm)
BLADE THICKNESS
0.090" (0.23 cm)
OVERALL LENGTH
7.50" (19.10 cm)
WEIGHT
2.80 oz (79.38 g)
HANDLE
DynaFlex® rubber
SHEATH
Black, heavy-duty polyester, imported

BOX MODEL 0684BKS-B CATALOG 11557 | **CLAM** MODEL 0684BKS-C CATALOG 11558

685 BUCKLITE MAX® II LARGE

BLADE
Drop point, 420HC steel
BLADE LENGTH
4.00" (10.16 cm)
BLADE THICKNESS
0.110" (0.279 cm)
OVERALL LENGTH
8.875" (22.54 cm)
WEIGHT
4.70 oz (133.20 g)
HANDLE
DynaFlex® rubber
SHEATH
Black, heavy-duty polyester, imported

BOX MODEL 0685BKS-B CATALOG 11559 | **CLAM** MODEL 0685BKS-C CATALOG 11560

685 BUCKLITE MAX® II LARGE GUTHOOK

BLADE
Guthook, 420HC steel
BLADE LENGTH
4.00" (10.16 cm)
BLADE THICKNESS
0.110" (0.279 cm)
OVERALL LENGTH
8.875" (22.54 cm)
WEIGHT
4.70 oz (133.20 g)
HANDLE
DynaFlex® rubber
SHEATH
Black, heavy-duty polyester, imported

BOX MODEL 0685BKG-B CATALOG 11768 | **CLAM** MODEL 0685BKG-C CATALOG 11769

635 PAKLITE CAPE SELECT

BLADE
Drop point, 420HC steel
BLADE LENGTH
2.75" (6.99 cm)
BLADE THICKNESS
0.110" (0.279 cm)
OVERALL LENGTH
7.125" (18.10 cm)
WEIGHT
1.59 oz (45.08 g)
HANDLE
Glass-filled nylon
SHEATH
Black polypropylene, imported

BLACK | **BOX** MODEL 0635BKS-B CATALOG 13506 | **CLAM** MODEL 0635BKS-C CATALOG 13507

631 PAKLITE FIELD SELECT

BLADE
Skinner, 420HC steel
BLADE LENGTH
4.00" (10.16 cm)
BLADE THICKNESS
0.150" (0.381 cm)
OVERALL LENGTH
8.25" (20.96 cm)
WEIGHT
3.10 oz (87.88 g)
HANDLE
Glass-filled nylon
SHEATH
Black polypropylene, imported

BLACK | **BOX** MODEL 0631BKS-B CATALOG 13501 | **CLAM** MODEL 0631BKS-C CATALOG 13502

TOUGHNESS AND CONTROL IN ANY SCENARIO

THE PURSUIT SERIES

Designed for versatility and control, the Pursuit Series pairs durable construction with comfortable, high-traction handles for a secure, reliable grip. These knives deliver consistent cutting performance whether you're deep in the field or tackling everyday tasks. Built to endure, the Pursuit Series keeps pace with any adventure.

JIMPING FOR ADDED CONTROL
HEAVY-DUTY POLYESTER SHEATH
TUMBLE-FINISH BLADES
DROP POINT AND GUTHOOK BLADES AVAILABLE
LANYARD HOLE
EASY TO CLEAN, CONTOURED, SURE GRIP HANDLE

656 PURSUIT LARGE

BOX MODEL 0656GRS-B CATALOG 11889 | **CLAM** MODEL 0656GRS-C CATALOG 11908

657 PURSUIT LARGE GUTHOOK

BOX MODEL 0657GRG-B CATALOG 11890 | **CLAM** MODEL 0657GRG-C CATALOG 12224

658 PURSUIT SMALL

BOX MODEL 0658GRS-B CATALOG 11891 | **CLAM** MODEL 0658GRS-C CATALOG 11909

659 FOLDING PURSUIT LARGE

BOX MODEL 0659GRS-B CATALOG 11892 | **CLAM** MODEL 0659GRS-C CATALOG 11979

660 FOLDING PURSUIT LARGE GUTHOOK

BOX MODEL 0660GRG-B CATALOG 12256 | **CLAM** MODEL 0660GRG-C CATALOG 12257

661 FOLDING PURSUIT SMALL

BOX MODEL 0661GRS-B CATALOG 11893 | **CLAM** MODEL 0661GRS-C CATALOG 11982

656, 657, 658

659, 660, 661

BLADE
656: Drop point, 420HC steel
657: Guthook, 420HC steel
658: Drop point, 420HC steel
659: Drop point, 420HC steel
660: Guthook, 420HC steel
661: Drop point, 420HC steel

BLADE LENGTH
656: 4.50" (11.40 cm)
657: 4.50" (11.40 cm)
658: 3.75" (9.50 cm)
659: 3.625" (9.21 cm)
660: 3.50" (8.89 cm)
661: 3.00" (7.60 cm)

BLADE THICKNESS
656: 0.140" (0.356 cm)
657: 0.140" (0.356 cm)
658: 0.100" (0.279 cm)
659: 0.120" (0.305 cm)
660: 0.120" (0.305 cm)
661: 0.120" (0.305 cm)

OVERALL LENGTH
656: 9.50" (24.10 cm)
657: 9.50" (24.13 cm)
658: 8.00" (20.32 cm)

CLOSED LENGTH
659: 5.00" (12.70 cm)
660: 5.00" (12.70 cm)
661: 4.375" (11.10 cm)

WEIGHT
656: 6.40 oz (181.50 g)
657: 6.40 oz (181.50 g)
658: 3.30 oz (93.51 g)
659: 3.80 oz (107.70 g)
660: 3.60 oz (102.00 g)
661: 2.50 oz (72.00 g)

HANDLE
Glass-filled nylon with VersaFlex

SHEATH
Black, heavy-duty polyester with green accents, imported

COMPACT AND TRUSTWORTHY FOR EVERYDAY CARRY

THE BANTAM SERIES

The Bantam Series offers lightweight, durable knives designed for everyday use. With a variety of sizes, these folding knives provide excellent versatility and easy portability. Built with a textured handle for a secure grip, the Bantam Series is a dependable choice for anyone needing a sharp, functional tool on the go.

284 BANTAM® BBW

BLADE
Drop point, 420HC steel
BLADE LENGTH
2.75" (7.00 cm)
BLADE THICKNESS
0.100" (0.254 cm)
CLOSED LENGTH
3.75" (9.50 cm)
WEIGHT
1.50 oz (42.70 g)
HANDLE
Glass-reinforced, textured nylon
CARRY
Pocket (no clip)

BLACK	**BOX**	MODEL 0284BKS-B	CATALOG 5759	**CLAM**	MODEL 0284BKS-C	CATALOG 5760
MOSSY OAK® BLAZE ORANGE CAMO	**BOX**	MODEL 0284CMS9-B	CATALOG 3893	**CLAM**	MODEL 0284CMS9-C	CATALOG 3894
MOSSY OAK® BREAK-UP COUNTRY CAMO	**BOX**	MODEL 0284CMS24-B	CATALOG 10315	**CLAM**	MODEL 0284CMS24-C	CATALOG 10316

285 BANTAM® BLW

BLADE
Drop point, 420HC steel
BLADE LENGTH
3.125" (7.94 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.375" (11.10 cm)
WEIGHT
2.40 oz (68.04 g)
HANDLE
Glass-reinforced, textured nylon
CLIP
Removable, stainless steel

BLACK	**BOX**	MODEL 0285BKS-B	CATALOG 5761	**CLAM**	MODEL 0285BKS-C	CATALOG 5762
MOSSY OAK® BLAZE ORANGE CAMO	**BOX**	MODEL 0285CMS9-B	CATALOG 3895	**CLAM**	MODEL 0285CMS9-C	CATALOG 3896
MOSSY OAK® BREAK-UP COUNTRY CAMO	**BOX**	MODEL 0285CMS24-B	CATALOG 10610	**CLAM**	MODEL 0285CMS24-C	CATALOG 10611

286 BANTAM® BHW

BLADE
Drop point, 420HC steel
BLADE LENGTH
3.75" (9.53 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
5.125" (13.00 cm)
WEIGHT
3.20 oz (90.72 g)
HANDLE
Glass-reinforced, textured nylon
CLIP
Removable, stainless steel

BLACK	**BOX**	MODEL 0286BKS-B	CATALOG 5763	**CLAM**	MODEL 0286BKS-C	CATALOG 5764
MOSSY OAK® BLAZE ORANGE CAMO	**BOX**	MODEL 0286CMS9-B	CATALOG 3897	**CLAM**	MODEL 0286CMS9-C	CATALOG 3898
MOSSY OAK® BREAK-UP COUNTRY CAMO	**BOX**	MODEL 0286CMS24-B	CATALOG 10317	**CLAM**	MODEL 0286CMS24-C	CATALOG 10318

EVERYDAY CARRY

AN INSTANT CLASSIC

THE 110 & 112 SLIM HERITAGE

The all-new 110 and 112 Slim Heritage Elites are the everyday answer for classic style and modern function. Inspired by the iconic design of the 110 Folding Hunter and 112 Ranger, these knives now feature a thin profile, convenient deep carry pocket clip, and premium BOS heat treated MagnaCut steel. The perfect EDC for anyone wanting a sleek yet robust pocket knife with the iconic clip point profile Buck made famous.

110 SLIM HERITAGE ELITE - 0.25" THINNER THAN THE ORIGINAL 110

ORIGINAL 110 FOLDING HUNTER

EVERYDAY CARRY

NEW 110 SLIM HERITAGE ELITE - BRASS

BLADE
Clip point, MagnaCut steel
BLADE LENGTH
3.75" (9.50 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.875" (12.40 cm)
WEIGHT
5.40 oz (153.00 g)
HANDLE
Crelicam™ genuine ebony with brass bolsters
CLIP
Deep pocket carry

MAGNA CUT BOS

BOX MODEL 0110BRS19-B CATALOG 14259

NEW 110 SLIM HERITAGE ELITE - NICKEL SILVER

BLADE
Clip point, MagnaCut steel
BLADE LENGTH
3.75" (9.50 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.875" (12.40 cm)
WEIGHT
5.20 oz (149.00 g)
HANDLE
Crelicam™ genuine ebony with nickel silver bolsters
CLIP
Deep pocket carry

MAGNA CUT BOS

BOX MODEL 0110BRS20-B CATALOG 14527

NEW 112 SLIM HERITAGE ELITE - BRASS

BLADE
Clip point, MagnaCut steel
BLADE LENGTH
3.00" (7.60 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.25" (10.80 cm)
WEIGHT
4.40 oz (126.00 g)
HANDLE
Crelicam™ genuine ebony with brass bolsters
CLIP
Deep pocket carry

MAGNA CUT BOS

BOX MODEL 0112BRS19-B CATALOG 14260

NEW 112 SLIM HERITAGE ELITE - NICKEL SILVER

BLADE
Clip point, MagnaCut steel
BLADE LENGTH
3.00" (7.60 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.25" (10.80 cm)
WEIGHT
4.20 oz (122.00 g)
HANDLE
Crelicam™ genuine ebony with nickel silver bolsters
CLIP
Deep pocket carry

MAGNA CUT BOS

BOX MODEL 0112BRS20-B CATALOG 14528



A MODERN MID-LOCK TO SUIT EVERY ADVENTURE

THE MUSTANG

From the jobsite to the backcountry, the Mustang checks every box. Its lightweight build keeps ounces down without sacrificing strength, while the streamlined profile brings a fresh, modern feel to the Buck lineup. With a pocket clip, lanyard option, and stonewashed blade, it's ready for whatever you're headed into next.

NEW 724 MUSTANG

BLADE
Drop point, 420HC steel

BLADE LENGTH
3.25" (8.30 cm)

BLADE THICKNESS
0.090" (0.229 cm)

CLOSED LENGTH
4.25" (11.40 cm)

WEIGHT
3.20 oz (90.00 g)

HANDLE
Anodized aluminum

CLIP
Deep pocket carry, removable, reversible

BLUE	**BOX**	MODEL 0724BLS-B	CATALOG 14394	**CLAM**	MODEL 0724BLS-C	CATALOG 14395
ORANGE	**BOX**	MODEL 0724ORS-B	CATALOG 14398	**CLAM**	MODEL 0724ORS-C	CATALOG 14399
DARK BLUE	**BOX**	MODEL 0724BLS1-B	CATALOG 14396	**CLAM**	MODEL 0724BLS1-C	CATALOG 14397

FROM WORKDAYS TO WIDE OPEN SPACES

THE RANGE SERIES

From the office to the outdoors, the Range is an indispensable tool. Easily carried, concealed, and deployed, the Range Series features a crossbar lock for safe, secure one-handed operation. With a sleek ergonomic design and a blade that stays sharp through your daily tasks, it's your essential everyday companion.

791 RANGE ELITE

BLADE
Drop point, flat grind blade, MagnaCut steel
BLADE LENGTH
3.375" (8.57 cm)
BLADE THICKNESS
0.090" (0.229 cm)
CLOSED LENGTH
4.50" (11.43 cm)
WEIGHT
3.30 oz (93.00 g)
HANDLE
Anodized aluminum
CLIP
Deep pocket carry, removable, reversible
LOCK
Crossbar lock

MAGNACUT

BLACK	**BOX**	**MODEL** 0791BKS-B	**CATALOG** 13915
GREEN	**BOX**	**MODEL** 0791GRS-B	**CATALOG** 13917
GRAY	**BOX**	**MODEL** 0791GYS-B	**CATALOG** 13916

790 MINI RANGE ELITE

BLADE
Drop point, flat grind blade, MagnaCut steel
BLADE LENGTH
2.625" (6.67 cm)
BLADE THICKNESS
0.090" (0.229 cm)
CLOSED LENGTH
3.625" (9.21 cm)
WEIGHT
2.35 oz (67.00 g)
HANDLE
Anodized aluminum
CLIP
Deep pocket carry, removable, reversible
LOCK
Crossbar lock

MAGNACUT

BLACK	**BOX**	**MODEL** 0790BKS-B	**CATALOG** 13906
GREEN	**BOX**	**MODEL** 0790GRS-B	**CATALOG** 13908
GRAY	**BOX**	**MODEL** 0790GYS-B	**CATALOG** 13907

791 RANGE PRO

BLADE
Drop point, flat grind blade, 154CM steel
BLADE LENGTH
3.375" (8.57 cm)
BLADE THICKNESS
0.090" (0.229 cm)
CLOSED LENGTH
4.50" (11.43 cm)
WEIGHT
2.55 oz (72.00 g)
HANDLE
Glass-filled nylon
CLIP
Deep pocket carry, removable, reversible
LOCK
Crossbar lock

BLACK	**BOX**	MODEL 0791BKS1-B	CATALOG 13918
GREEN	**BOX**	MODEL 0791GRS1-B	CATALOG 13922
GRAY	**BOX**	MODEL 0791GYS1-B	CATALOG 13920

790 MINI RANGE PRO

BLADE
Drop point, flat grind blade, 154CM steel
BLADE LENGTH
2.625" (6.67 cm)
BLADE THICKNESS
0.090" (0.229 cm)
CLOSED LENGTH
3.625" (9.21 cm)
WEIGHT
1.90 oz (54.00 g)
HANDLE
Glass-filled nylon
CLIP
Deep pocket carry, removable, reversible
LOCK
Crossbar lock

BLACK	**BOX**	MODEL 0790BKS1-B	CATALOG 13909
GREEN	**BOX**	MODEL 0790GRS1-B	CATALOG 13913
GRAY	**BOX**	MODEL 0790GYS1-B	CATALOG 13911

SNAPPY, BALANCED AUTOMATIC ACTION

THE DEPLOY SERIES

The Deploy Series features high-performance automatic knives built for quick, one-handed deployment. Designed with sleek ergonomic handles and strong durable blades, these knives are ideal for everyday use. With a smooth and rapid opening mechanism and secure safety lock, the Deploy Series offers reliable functionality when you need it most.

CERAKOTED, ALUMINUM FRAMES & HARDWARE
PUSH-BUTTON DEPLOYMENT
PREMIUM S35VN OR 154CM STEEL
SAFETY SWITCH (838 ONLY)
REVERSIBLE, DEEP CARRY POCKET CLIP

838 DEPLOY - DROP POINT BLADE

BLADE
Drop point
0838BKS:
Cerakoted, S35VN steel
0838GYS1, 0838BRS1:
Cerakoted, 154CM steel
BLADE LENGTH
3.25" (8.30 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
5.00" (12.70 cm)
WEIGHT
4.25 oz (121.00 g)
HANDLE
Cerakoted aluminum
CLIP
Black Cerakoted, deep pocket carry, removable, reversible

AUTOMATIC
ENGAGES WITH THE PUSH OF A BUTTON

BLACKOUT	BOX	MODEL 0838BKS-B	CATALOG 13538
GRAY	BOX	MODEL 0838GYS1-B	CATALOG 13444
BRONZE	BOX	MODEL 0838BRS1-B	CATALOG 13443

The sale of automatic knives is federally regulated. See page 89 for details.

839 MINI DEPLOY - DROP POINT BLADE

BLADE
Drop point
839BKS:
Cerakoted, S35VN steel
0839GYS1, 0839BRS1:
Cerakoted, 154CM steel
BLADE LENGTH
1.875" (4.76 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
3.75" (9.50 cm)
WEIGHT
3.20 oz (92.00 g)
HANDLE
Cerakoted aluminum
CLIP
Black Cerakoted, deep pocket carry, removable, reversible

AUTOMATIC
ENGAGES WITH THE PUSH OF A BUTTON

BLACKOUT	BOX	MODEL 0839BKS-B	CATALOG 13539
GRAY	BOX	MODEL 0839GYS1-B	CATALOG 13446
BRONZE	BOX	MODEL 0839BRS1-B	CATALOG 13445

The sale of automatic knives is federally regulated. See page 89 for details.

110 SLIM SELECT

BLADE
Clip point, 420HC steel
BLADE LENGTH
3.75" (9.50 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.875" (12.40 cm)
WEIGHT
2.80 oz (80.00 g)
HANDLE
Glass-filled nylon
CLIP
Deep pocket carry, removable, reversible

BLACK	**BOX**	MODEL 0110BKS1-B	CATALOG 11878	**CLAM**	MODEL 0110BKS1-C	CATALOG 11964
O.D. GREEN	**BOX**	MODEL 0110ODS2-B	CATALOG 12695	**CLAM**	MODEL 0110ODS2-C	CATALOG 12696
ORANGE	**BOX**	MODEL 0110ORS2-B	CATALOG 12699	**CLAM**	MODEL 0110ORS2-C	CATALOG 12700

112 SLIM SELECT

BLADE
Clip point, 420HC steel
BLADE LENGTH
3.00" (7.60 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.25" (10.80 cm)
WEIGHT
2.50 oz (71.00 g)
HANDLE
Glass-filled nylon
CLIP
Deep pocket carry, removable, reversible

BLACK	**BOX**	MODEL 0112BKS1-B	CATALOG 11881	**CLAM**	MODEL 0112BKS1-C	CATALOG 11967
O.D. GREEN	**BOX**	MODEL 0112ODS2-B	CATALOG 12689	**CLAM**	MODEL 0112ODS2-C	CATALOG 12690
ORANGE	**BOX**	MODEL 0112ORS-B	CATALOG 12024	**CLAM**	MODEL 0112ORS-C	CATALOG 12025

110 FOLDING HUNTER® SPORT

BLADE
Clip point, S35VN steel
BLADE LENGTH
3.75" (9.53 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
5.00" (12.70 cm)
WEIGHT
4.60 oz (132.00 g)
HANDLE
Black anodized aluminum with O.D. green canvas micarta inlay
CLIP
Black Cerakoted, deep pocket carry, removable, reversible

BOX MODEL 0110GRS5-B CATALOG 13294

112 RANGER SPORT

BLADE
Clip point, S35VN steel
BLADE LENGTH
3.00" (7.60 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.25" (10.80 cm)
WEIGHT
3.90 oz (112.00 g)
HANDLE
Black anodized aluminum with O.D. green canvas micarta inlay
CLIP
Black Cerakoted, deep pocket carry, removable, reversible

BOX MODEL 0112GRS5-B CATALOG 13295

722 SPITFIRE

BLADE
Drop point, 420HC steel
BLADE LENGTH
3.25" (8.30 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.25" (10.80 cm)
WEIGHT
3.20 oz (90.70 g)
HANDLE
Anodized aluminum
CLIP
Removable, reversible, four position

BLACK	**BOX**	MODEL 0722BKS1-B	CATALOG 12237	**CLAM**	MODEL 0722BKS1-C	CATALOG 12238
GRAY	**BOX**	MODEL 0722GYS1-B	CATALOG 7449	**CLAM**	MODEL 0722GYS1-C	CATALOG 7450
ORANGE	**BOX**	MODEL 0722ORS1-B	CATALOG 7453	**CLAM**	MODEL 0722ORS1-C	CATALOG 7454

726 MINI SPITFIRE

BLADE
Drop point, 420HC steel
BLADE LENGTH
2.75" (7.00 cm)
BLADE THICKNESS
0.098" (0.249 cm)
CLOSED LENGTH
3.74" (9.50 cm)
WEIGHT
2.10 oz (59.50 g)
HANDLE
Anodized aluminum
CLIP
Removable, reversible, two position

BLACK	**BOX**	MODEL 0726BKS-B	CATALOG 12243	**CLAM**	MODEL 0726BKS-C	CATALOG 12244
GRAY	**BOX**	MODEL 0726GYS-B	CATALOG 7800	**CLAM**	MODEL 0726GYS-C	CATALOG 7801
ORANGE	**BOX**	MODEL 0726ORS-B	CATALOG 7798	**CLAM**	MODEL 0726ORS-C	CATALOG 7799

840 SPRINT SELECT

BLADE
Drop point, 420HC steel
BLADE LENGTH
3.125" (7.90 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.375" (11.10 cm)
WEIGHT
3.20 oz (90.70 g)
HANDLE
Glass-filled nylon
CLIP
Deep pocket carry, removable

BLACK	**BOX**	MODEL 0840BKS1-B	CATALOG 11896	**CLAM**	MODEL 0840BKS1-C	CATALOG 11981
GREEN	**BOX**	MODEL 0840GRS-B	CATALOG 12058	**CLAM**	MODEL 0840GRS-C	CATALOG 12059
BLUE	**BOX**	MODEL 0840BLS-B	CATALOG 12866	**CLAM**	MODEL 0840BLS-C	CATALOG 12867

055 THE 55®

BLADE
Clip point, 420HC steel
BLADE LENGTH
2.375" (6.00 cm)
BLADE THICKNESS
0.084" (0.213 cm)
CLOSED LENGTH
3.50" (8.90 cm)
WEIGHT
1.90 oz (54.10 g)
HANDLE
Crelicam™ genuine ebony with brass bolsters
CARRY
Pocket carry

GENUINE EBONY HANDLE

BOX MODEL 0055BRS-B CATALOG 5684 | **CLAM** MODEL 0055BRS-C CATALOG 5685

501 SQUIRE

BLADE
Drop point, 420HC steel
BLADE LENGTH
2.75" (7.00 cm)
BLADE THICKNESS
0.096" (0.244 cm)
CLOSED LENGTH
3.75" (9.50 cm)
WEIGHT
3.00 oz (85.40 g)
HANDLE
DymaLux® rosewood with nickel silver bolsters
SHEATH
Black, genuine leather, imported

BOX MODEL 0501RWS-B CATALOG 2598 | **CLAM** MODEL 0501RWS-C CATALOG 1270

503 PRINCE®

BLADE
Drop point, 420HC steel
BLADE LENGTH
2.50" (6.40 cm)
BLADE THICKNESS
0.084" (0.213 cm)
CLOSED LENGTH
3.375" (8.60 cm)
WEIGHT
2.00 oz (57.00 g)
HANDLE
DymaLux® rosewood with nickel silver bolsters
CARRY
Pocket carry

BOX MODEL 0503RWS-B CATALOG 9201 | **CLAM** MODEL 0503RWS-C CATALOG 1274

341 SMALL VANTAGE

BLADE
Drop point, 420HC steel
BLADE LENGTH
2.625" (6.67 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
3.75" (9.50 cm)
WEIGHT
2.30 oz (65.00 g)
HANDLE
Molded nylon with contoured DymaLux® rosewood inlays
CLIP
Deep pocket carry, removable, reversible

BOX MODEL 0341RWS-B CATALOG 7834 | **CLAM** MODEL 0341RWS-C CATALOG 7835

346 LARGE VANTAGE

BLADE
Drop point, 420HC steel
BLADE LENGTH
3.25" (8.30 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.375" (11.10 cm)
WEIGHT
3.70 oz (104.90 g)
HANDLE
Molded nylon with contoured DymaLux® rosewood inlays
CLIP
Deep pocket carry, removable, reversible

BOX MODEL 0346RWS-B CATALOG 7837 | **CLAM** MODEL 0346RWS-C CATALOG 7838

698 FERROX
BRONZE | 0698BRS-B | 14410

700 NOMAD
BLUE | 0700BLS-B |14422

NEW 698 FERROX

BLADE
Black oxide, reverse tanto, D2 steel
BLADE LENGTH
3.375" (8.57 cm)
BLADE THICKNESS
0.110" (0.280 cm)
CLOSED LENGTH
4.50" (11.43 cm)
WEIGHT
3.20 oz (92.00 g)
HANDLE
Anodized aluminum
CLIP
Deep pocket carry, removable, reversible
LOCK
Crossbar lock

BLACK	**BOX**	MODEL 0698BKS-B	CATALOG 14408	**CLAM**	MODEL 0698BKS-C	CATALOG 14409
BRONZE	**BOX**	MODEL 0698BRS-B	CATALOG 14410	**CLAM**	MODEL 0698BRS-C	CATALOG 14411
SILVER	**BOX**	MODEL 0698GYS-B	CATALOG 14412	**CLAM**	MODEL 0698GYS-C	CATALOG 14413

NEW 700 NOMAD

BLADE
Drop point, D2 steel
BLADE LENGTH
3.25" (8.26 cm)
BLADE THICKNESS
0.110" (0.280 cm)
CLOSED LENGTH
4.50" (11.43 cm)
WEIGHT
3.10 oz (87.00 g)
HANDLE
Anodized aluminum
CLIP
Removable, reversible
LOCK
Crossbar lock

BLACK	**BOX**	MODEL 0700BKS-B	CATALOG 14420	**CLAM**	MODEL 0700BKS-C	CATALOG 14421
BRONZE	**BOX**	MODEL 0700BRS-B	CATALOG 14424	**CLAM**	MODEL 0700BRS-C	CATALOG 14425
BLUE	**BOX**	MODEL 0700BLS-B	CATALOG 14422	**CLAM**	MODEL 0700BLS-C	CATALOG 14423

239 INFUSION - MODIFIED TANTO BLADE

BLADE
Modified tanto, 7Cr17 steel
BLADE LENGTH
3.25" (7.60 cm)
BLADE THICKNESS
0.126" (0.320 cm)
CLOSED LENGTH
4.625" (11.76 cm)
WEIGHT
3.67 oz (104.00 g)
HANDLE
G10
CLIP
Deep pocket carry, removable, reversible, stainless steel

ASSISTED OPENING

BLACK	**BOX**	MODEL 0239BKS-B	CATALOG 13543	**CLAM**	MODEL 0239BKS-C	CATALOG 13544
O.D. GREEN	**BOX**	MODEL 0239GRS-B	CATALOG 13541	**CLAM**	MODEL 0239GRS-C	CATALOG 13542

239 INFUSION - DROP POINT BLADE

BLADE
Drop point, 7Cr17 steel
BLADE LENGTH
3.25" (7.60 cm)
BLADE THICKNESS
0.126" (0.320 cm)
CLOSED LENGTH
4.625" (11.76 cm)
WEIGHT
3.85 oz (109.00 g)
HANDLE
Anodized aluminum
CLIP
Deep pocket carry, removable, reversible, stainless steel

ASSISTED OPENING

BLACK	**BOX**	MODEL 0239BKS1-B	CATALOG 13549	**CLAM**	MODEL 0239BKS1-C	CATALOG 13550
ORANGE	**BOX**	MODEL 0239ORS-B	CATALOG 13551	**CLAM**	MODEL 0239ORS-C	CATALOG 13552

251 LANGFORD

BLADE
Drop point, 7Cr17 steel
BLADE LENGTH
3.375" (8.60 cm)
BLADE THICKNESS
0.110" (0.280 cm)
CLOSED LENGTH
4.50" (11.40 cm)
WEIGHT
3.70 oz (104.90 g)
HANDLE
G10
CLIP
Deep pocket carry, stainless steel

BLACK	**BOX**	MODEL 0251BKS-B	CATALOG 13042	**CLAM**	MODEL 0251BKS-C	CATALOG 13043
GREEN	**BOX**	MODEL 0251GRS-B	CATALOG 13044	**CLAM**	MODEL 0251GRS-C	CATALOG 13045

713 RUCKUS

BLADE
Drop point, D2 steel
BLADE LENGTH
3.50" (8.90 cm)
BLADE THICKNESS
0.130" (0.330 cm)
CLOSED LENGTH
4.80" (12.20 cm)
WEIGHT
5.35 oz (151.67 g)
HANDLE
Anodized aluminum
CLIP
Deep pocket carry, removable, reversible, stainless steel

BLACK	**BOX**	MODEL 0713CPS-B	CATALOG 14154	**CLAM**	MODEL 0713CPS-C	CATALOG 14155
GREEN	**BOX**	MODEL 0713GRS-B	CATALOG 14156	**CLAM**	MODEL 0713GRS-C	CATALOG 14157
BLUE	**BOX**	MODEL 0713BLS-B	CATALOG 14152	**CLAM**	MODEL 0713BLS-C	CATALOG 14153

714 STINGER

BLADE
Drop point, D2 steel
BLADE LENGTH
3.00" (7.62 cm)
BLADE THICKNESS
0.130" (0.330 cm)
CLOSED LENGTH
4.25" (10.80 cm)
WEIGHT
3.95 oz (112.00 g)
HANDLE
Anodized aluminum with carbon fiber inlay
CLIP
Deep pocket carry, removable, reversible, stainless steel

BLACK	**BOX**	MODEL 0714BKS-B	CATALOG 14158	**CLAM**	MODEL 0714BKS-C	CATALOG 14159
GREEN	**BOX**	MODEL 0714GRS-B	CATALOG 14162	**CLAM**	MODEL 0714GRS-C	CATALOG 14163
BLUE	**BOX**	MODEL 0714BLS-B	CATALOG 14160	**CLAM**	MODEL 0714BLS-C	CATALOG 14161

811 TRACE OPS

BLADE
Tanto, 7Cr17 steel
BLADE LENGTH
3.23" (8.20 cm)
BLADE THICKNESS
0.112" (0.284 cm)
CLOSED LENGTH
4.63" (11.76 cm)
WEIGHT
3.75 oz (107.00 g)
HANDLE
Anodized aluminum
CLIP
Deep pocket carry, removable, reversible, stainless steel

BLACK	**BOX**	MODEL 0811BKS-B	CATALOG 13746	**CLAM**	MODEL 0811BKS-C	CATALOG 13747
CAMO	**BOX**	MODEL 0811CMS-B	CATALOG 13750	**CLAM**	MODEL 0811CMS-C	CATALOG 13751

812 TRACE

BLADE
Drop point, 7Cr17 steel, partially serrated
BLADE LENGTH
3.23" (8.20 cm)
BLADE THICKNESS
0.112" (0.284 cm)
CLOSED LENGTH
4.625" (11.76 cm)
WEIGHT
3.95 oz (113.00 g)
HANDLE
Anodized aluminum
CLIP
Deep pocket carry, removable, reversible, stainless steel

BRONZE	**BOX**	MODEL 0812BRX-B	CATALOG 13859	**CLAM**	MODEL 0812BRX-C	CATALOG 13860
ORANGE	**BOX**	MODEL 0812ORX-B	CATALOG 13756	**CLAM**	MODEL 0812ORX-C	CATALOG 13757

813 MINI TRACE OPS

BLADE
Tanto, 7Cr17 steel
BLADE LENGTH
2.43" (6.17 cm)
BLADE THICKNESS
0.111" (0.282 cm)
CLOSED LENGTH
3.50" (8.89 cm)
WEIGHT
1.75 oz (50.00 g)
HANDLE
Anodized aluminum
CLIP
Deep pocket carry, removable, reversible, stainless steel

BLACK	**BOX**	MODEL 0813BKS-B	CATALOG 13758	**CLAM**	MODEL 0813BKS-C	CATALOG 13759
CAMO	**BOX**	MODEL 0813CMS-B	CATALOG 13762	**CLAM**	MODEL 0813CMS-C	CATALOG 13763

814 MINI TRACE

BLADE
Drop point, 7Cr17 steel
BLADE LENGTH
2.43" (6.17 cm)
BLADE THICKNESS
0.111" (0.282cm)
CLOSED LENGTH
3.50" (8.89 cm)
WEIGHT
1.85 oz (53.00 g)
HANDLE
Anodized aluminum
CARRY
Deep pocket carry, removable, reversible, stainless steel

BRONZE	**BOX**	MODEL 0814BRS-B	CATALOG 13861	**CLAM**	MODEL 0814BRS-C	CATALOG 13862
ORANGE	**BOX**	MODEL 0814ORS-B	CATALOG 13768	**CLAM**	MODEL 0814ORS-C	CATALOG 13769

870 BONES

BLADE
Modified tanto, partially serrated, 420HC steel
BLADE LENGTH
3.00" (7.60 cm)
BLADE THICKNESS
0.110" (0.280 cm)
CLOSED LENGTH
4.625" (11.70 cm)
WEIGHT
4.40 oz (125.30 g)
HANDLE
Black oxide-coated stainless steel
CLIP
Discreet carry, stainless steel

BLACK | **BOX** MODEL 0870BKX-B CATALOG 3595 | **CLAM** MODEL 0870BKX-C CATALOG 3596

325 COLLEAGUE

BLADE
Drop point, 7Cr17 steel
BLADE LENGTH
1.975" (4.80 cm)
BLADE THICKNESS
0.082" (0.208 cm)
CLOSED LENGTH
2.75" (7.00 cm)
WEIGHT
1.30 oz (37.00 g)
HANDLE
Brushed stainless steel
CARRY
Pocket carry

BOX MODEL 0325SSS-B CATALOG 5830 | **CLAM** MODEL 0325SSS-C CATALOG 5831

327 NOBLEMAN

BLADE
Drop point
0327SSS: 7Cr17 steel
0327TTS, 0327CFS: Titanium-coated 7Cr17 steel
BLADE LENGTH
2.625" (6.70 cm)
BLADE THICKNESS
0.095" (0.241 cm)
CLOSED LENGTH
3.75" (9.50 cm)
WEIGHT
2.60 oz (74.00 g)
HANDLE
0327TT: Titanium coated stainless steel with EDM texture
0327SSS: Brushed stainless steel
0327CFS: Stainless steel with rubberized, carbon fiber graphic
CLIP
Removable, stainless steel

TITANIUM COATED	**BOX**	MODEL 0327TTS-B	CATALOG 5860	**CLAM**	MODEL 0327TTS-C	CATALOG 5861
STAINLESS STEEL	**BOX**	MODEL 0327SSS-B	CATALOG 5834	**CLAM**	MODEL 0327SSS-C	CATALOG 5835
CARBON FIBER	**BOX**	MODEL 0327CFS-B	CATALOG 3086	**CLAM**	MODEL 0327CFS-C	CATALOG 3087

744 SOVEREIGN

BLADE
Modified clip point
0744CFS: Titanium-coated 7Cr17 steel
0744SSS: 7Cr17 steel
BLADE LENGTH
3.225" (8.20 cm)
BLADE THICKNESS
0.110" (0.279 cm)
CLOSED LENGTH
4.25" (10.80 cm)
WEIGHT
4.15 oz (119.00 g)
HANDLE
0744CFS: Stainless steel with rubberized, carbon fiber graphic
0744SSS: Stainless steel
CLIP
Stainless steel
LOCK
Button lock

CARBON FIBER	**BOX**	MODEL 0744CFS-B	CATALOG 13812	**CLAM**	MODEL 0744CFS-C	CATALOG 13813
STAINLESS STEEL	**BOX**	MODEL 0744SSS-B	CATALOG 13814	**CLAM**	MODEL 0744SSS-C	CATALOG 13815

743 MINI SOVEREIGN

BLADE
Modified clip point
0743CFS: Titanium-coated 7Cr17 steel
0743SSS: 7Cr17 steel
BLADE LENGTH
2.625" (6.67 cm)
BLADE THICKNESS
0.110" (0.279 cm)
CLOSED LENGTH
3.625" (9.20 cm)
WEIGHT
3.15 oz (90.00 g)
HANDLE
0743CFS: Stainless steel with rubberized, carbon fiber graphic
0743SSS: Stainless steel
CLIP
Stainless steel
LOCK
Button lock

CARBON FIBER	**BOX**	MODEL 0743CFS-B	CATALOG 13808	**CLAM**	MODEL 0743CFS-C	CATALOG 13809
STAINLESS STEEL	**BOX**	MODEL 0743SSS-B	CATALOG 13810	**CLAM**	MODEL 0743SSS-C	CATALOG 13811

252 TRUNK

BLADE
Cleaver, 7Cr17 steel
BLADE LENGTH
2.875" (7.30 cm)
BLADE THICKNESS
0.110" (0.280 cm)
CLOSED LENGTH
4.00" (10.20 cm)
WEIGHT
3.10 oz (87.90 g)
HANDLE
G10
CLIP
Deep pocket carry, stainless steel

BLACK	**BOX**	MODEL 0252BKS-B	CATALOG 13090	**CLAM**	MODEL 0252BKS-C	CATALOG 13091
TAN	**BOX**	MODEL 0252TNS-B	CATALOG 13046	**CLAM**	MODEL 0252TNS-C	CATALOG 13047

254 ODESSA

BLADE
Drop point, 7Cr17 steel
BLADE LENGTH
3.125" (7.90 cm)
BLADE THICKNESS
0.110" (0.280 cm)
CLOSED LENGTH
4.375" (11.10 cm)
WEIGHT
4.90 oz (138.91 g)
HANDLE
Stainless steel
CLIP
Deep pocket carry, stainless steel

BOX MODEL 0254SSS-B CATALOG 13052 | **CLAM** MODEL 0254SSS-C CATALOG 13053

259 HAXBY

BLADE
Drop point, 8Cr13 steel
BLADE LENGTH
3.875" (9.80 cm)
BLADE THICKNESS
0.130" (0.330 cm)
CLOSED LENGTH
5.00" (12.70 cm)
WEIGHT
4.50 oz (127.60 g)
HANDLE
Carbon fiber graphic
CLIP
Stainless steel

BOX MODEL 0259CFS-B CATALOG 13066 | **CLAM** MODEL 0259CFS-C CATALOG 13067

262 HEXAM ASSIST

BLADE
Drop point, 7Cr17 steel
BLADE LENGTH
3.34" (8.50 cm)
BLADE THICKNESS
0.126" (0.320 cm)
CLOSED LENGTH
5.125" (13.00 cm)
WEIGHT
5.30 oz (150.00 g)
HANDLE
Anodized aluminum
CLIP
Black, oxide-coated, stainless steel

ASSISTED OPENING

GRAY	**BOX**	MODEL 0262GYS-B	CATALOG 13241	**CLAM**	MODEL 0262GYS-C	CATALOG 13242
GREEN	**BOX**	MODEL 0262ODS-B	CATALOG 13239	**CLAM**	MODEL 0262ODS-C	CATALOG 13240

263 HILINE

BLADE
Cleaver, D2 steel
BLADE LENGTH
3.25" (8.30 cm)
BLADE THICKNESS
0.140" (0.356 cm)
CLOSED LENGTH
4.375" (11.00 cm)
WEIGHT
3.90 oz (110.00 g)
HANDLE
Front: Gray, anodized aluminum with G10 inlay
Back: Stonewashed stainless steel
CLIP
Stonewashed stainless steel

BOX MODEL 0263GYS-B CATALOG 13243 | **CLAM** MODEL 0263GYS-C CATALOG 13244

264 CAVALIER

BLADE
Drop point, 7Cr17 steel
BLADE LENGTH
3.60" (9.10 cm)
BLADE THICKNESS
0.110" (0.280 cm)
CLOSED LENGTH
4.50" (11.40 cm)
WEIGHT
2.80 oz (80.00 g)
HANDLE
FRONT: Gray, anodized aluminum handle with carbon fiber inlay
BACK: Stonewashed, stainless steel
CLIP
Stonewashed, stainless steel

BOX MODEL 0264GYS-B CATALOG 13245 | **CLAM** MODEL 0264GYS-C CATALOG 13246

POCKET KNIVES

TIMELESS TOOLS FOR EVERYDAY LIFE

THE 300 SERIES

Proudly made in the USA, the 301 Stockman and 303 Cadet channel the spirit of Buck's early days. These classic, multi-blade, slip-joint knives offer rugged simplicity in a compact, carry-everywhere design, perfect for those who appreciate everyday utility with a touch of handcrafted tradition.

303 CADET® - WOOD HANDLE

BLADES
2.63" (6.68 cm) Clip point, 1.89" (4.80 cm) sheepsfoot, and 1.78" (4.52 cm) spey, 420HC steel

CLOSED LENGTH
3.35" (8.51 cm) closed

WEIGHT
2.12 oz (60.00 g)

HANDLE
Crelicam™ genuine ebony or granadillo wood with nickel silver bolsters

CARRY
Pocket carry

GENUINE EBONY HANDLE

EBONY	**BOX**	MODEL 0303BRS2-B	CATALOG 14452	**CLAM**	MODEL 0303BRS2-C	CATALOG 14453
GRANADILLO	**BOX**	MODEL 0303BRS3-B	CATALOG 14454	**CLAM**	MODEL 0303BRS3-C	CATALOG 14455

303 CADET® - SYNTHETIC HANDLE

BLADES
2.63" (6.68 cm) Clip point, 1.89" (4.80 cm) sheepsfoot, and 1.78" (4.52 cm) spey, 420HC steel

CLOSED LENGTH
3.35" (8.51 cm) closed

WEIGHT
2.12 oz (60.00 g)

HANDLE
Acetal copolymer with nickel silver bolsters

CARRY
Pocket carry

GRAY	**BOX**	MODEL 0303GYS2-B	CATALOG 14116	**CLAM**	MODEL 0303GYS2-C	CATALOG 14117
BLUE	**BOX**	MODEL 0303BLS-B	CATALOG 14118	**CLAM**	MODEL 0303BLS-C	CATALOG 14119
BLACK	**BOX**	MODEL 0303BKS1-B	CATALOG 14114	**CLAM**	MODEL 0303BKS1-C	CATALOG 14115

301 STOCKMAN® - WOOD HANDLE

BLADES
3.00" (7.62 cm) Clip point, 2.14" (5.44 cm) sheepsfoot, and 2.05" (5.21 cm) spey, 420HC steel

CLOSED LENGTH
4.00" (10.16 cm)

WEIGHT
3.07 oz (87.00 g)

HANDLE
Crelicam™ genuine ebony or granadillo wood with nickel silver bolsters

CARRY
Pocket carry

GENUINE EBONY HANDLE

EBONY	**BOX**	MODEL 0301BRS2-B	CATALOG 14448	**CLAM**	MODEL 0301BRS2-C	CATALOG 14449
GRANADILLO	**BOX**	MODEL 0301BRS3-B	CATALOG 14450	**CLAM**	MODEL 0301BRS3-C	CATALOG 14451

301 STOCKMAN® - SYNTHETIC HANDLE

BLADES
3.00" (7.62 cm) Clip point, 2.14" (5.44 cm) sheepsfoot, and 2.05" (5.21 cm) spey, 420HC steel

CLOSED LENGTH
4.00" (10.16 cm)

WEIGHT
3.07 oz (87.00 g)

HANDLE
Acetal copolymer with nickel silver bolsters

CARRY
Pocket carry

GRAY	**BOX**	MODEL 0301GYS2-B	CATALOG 14106	**CLAM**	MODEL 0301GYS2-C	CATALOG 14107
BLUE	**BOX**	MODEL 0301BLS-B	CATALOG 14108	**CLAM**	MODEL 0301BLS-C	CATALOG 14109
BLACK	**BOX**	MODEL 0301BKS1-B	CATALOG 14104	**CLAM**	MODEL 0301BKS1-C	CATALOG 14105

371 STOCKMAN®

BLADES
2.75" (6.99 cm) Clip point, 2.00" (5.08 cm) spey, and 2.00" (5.08 cm) sheepsfoot, 420J2 steel
CLOSED LENGTH
3.875" (9.80 cm)
WEIGHT
3.10 oz (87.80 g)
HANDLE
Woodgrain with nickel silver bolsters
CARRY
Pocket carry

BOX MODEL 0371BRS-B CATALOG 5718 | **CLAM** MODEL 0371BRS-C CATALOG 5719

373 TRIO

BLADES
2.50" (6.35 cm) Clip point, 1.69" (4.29 cm) spey, and 1.75" (4.45 cm) sheepsfoot, 420J2 steel
CLOSED LENGTH
3.25" (8.30 cm)
WEIGHT
1.90 oz (54.10 g)
HANDLE
Woodgrain with nickel silver bolsters
CARRY
Pocket carry

BOX MODEL 0373BRS-B CATALOG 5720 | **CLAM** MODEL 0373BRS-C CATALOG 5721

375 DEUCE

BLADES
2.00" (5.08 cm) Clip point, 1.375" (3.50 cm) coping, 420J2 steel
CLOSED LENGTH
2.625" (6.70 cm)
WEIGHT
0.70 oz (19.90 g)
HANDLE
Woodgrain with nickel silver bolsters
CARRY
Pocket carry

BOX MODEL 0375BRS-B CATALOG 5722 | **CLAM** MODEL 0375BRS-C CATALOG 5723

379 SOLO

BLADE
Clip point, 420J2 steel
BLADE LENGTH
2.25" (5.70 cm)
BLADE THICKNESS
0.050" (0.127 cm)
CLOSED LENGTH
3.00" (7.60 cm)
WEIGHT
0.90 oz (25.60 g)
HANDLE
Woodgrain with nickel silver bolsters
CARRY
Pocket carry

BOX MODEL 0379BRS-B CATALOG 5717 | **CLAM** MODEL 0379BRS-C CATALOG 5716

382 TRAPPER

BLADES
2.625" (6.67 cm) Clip point, 2.625" (6.67 cm) spey, 420J2 steel
CLOSED LENGTH
3.50" (8.90 cm)
WEIGHT
2.60 oz (74.90 g)
HANDLE
Woodgrain with nickel silver bolsters
CARRY
Pocket carry

BOX MODEL 0382BRS-B CATALOG 5840 | **CLAM** MODEL 0382BRS-C CATALOG 5841

385 TOOTHPICK

BLADE
Modified clip point, 420J2 steel
BLADE LENGTH
2.25" (5.70 cm)
BLADE THICKNESS
0.070" (0.178 cm)
CLOSED LENGTH
3.00" (7.60 cm)
WEIGHT
0.80 oz (22.70 g)
HANDLE
Woodgrain with nickel silver bolsters
CARRY
Pocket carry

BOX MODEL 0385BRS-B CATALOG 3137

389 CANOE

BLADES
2.50" (6.35 cm) Spear, 1.875" (4.76 cm) pen, 420J2 steel
CLOSED LENGTH
3.625" (9.20 cm)
WEIGHT
2.70 oz (76.50 g)
HANDLE
Woodgrain with nickel silver bolsters
CARRY
Pocket carry

BOX MODEL 0389BRS-B CATALOG 3139 | **CLAM** MODEL 0389BRS-C CATALOG 3140

FISHING & OUTDOORS

BUILT FOR ADVENTURE, READY FOR ANYTHING

THE COMPADRE SERIES

The Compadre Series combines tough, full-tang construction with premium materials for lasting performance. Designed for survivalists, campers, and outdoor enthusiasts, these knives are built to handle the toughest tasks. With comfortable grip and durable blades, the Compadres are your go-to tools for every adventure.

104 COMPADRE CAMP KNIFE

BLADE
Drop point, Cobalt Cerakoted, 5160 spring steel
BLADE LENGTH
4.50" (11.40 cm)
BLADE THICKNESS
0.150" (0.381 cm)
OVERALL LENGTH
9.50" (24.10 cm)
WEIGHT
7.10 oz (201.30 g)
HANDLE
Natural canvas micarta
SHEATH
Black, genuine leather, with belt loop attachment, made in the USA

BOX **MODEL** 0104BRS1-B **CATALOG** 12245

108 COMPADRE FROE®

BLADE
Froe, Cobalt Cerakoted, 5160 spring steel
BLADE LENGTH
9.50" (24.10 cm)
BLADE THICKNESS
0.230" (0.584 cm)
OVERALL LENGTH
16.75" (42.50 cm)
WEIGHT
23.20 oz (657.70 g)
HANDLE
Natural canvas micarta
SHEATH
Black, genuine leather, with D ring attachment, made in the USA

BOX **MODEL** 0108BRS1-B **CATALOG** 12247

835 SMALL FOLDING SELKIRK

BLADE
Drop point, 420HC steel
BLADE LENGTH
3.25" (8.20 cm)
BLADE THICKNESS
0.120" (0.305 cm)
CLOSED LENGTH
4.25" (10.80 cm)
WEIGHT
4.50 oz (127.50 g)
HANDLE
Brown and black, contoured micarta with a steel bolster
CLIP
Removable, reversible, discreet deep pocket carry

BOX MODEL 0835BRS-B CATALOG 10682 | **CLAM** MODEL 0835BRS-C CATALOG 10683

836 FOLDING SELKIRK

BLADE
Drop point, 420HC steel
BLADE LENGTH
3.90" (9.90 cm)
BLADE THICKNESS
0.150" (0.381 cm)
CLOSED LENGTH
5.00" (12.70 cm)
WEIGHT
7.50 oz (212.60 g)
HANDLE
Brown and black contoured micarta with a steel bolster
SHEATH
Injected-molded nylon sheath
FEATURE
2.25" ferrocerium striker with whistle integrated in grip, imported

BOX MODEL 0836BRS-B CATALOG 10678 | **CLAM** MODEL 0836BRS-C CATALOG 10679

853 SMALL SELKIRK

BLADE
Drop point, 420HC steel
BLADE LENGTH
4.00" (10.20 cm)
BLADE THICKNESS
0.125" (0.318 cm)
OVERALL LENGTH
8.25" (21.00 cm)
WEIGHT
6.40 oz (181.40 g)
HANDLE
Brown and black, contoured micarta with steel pommel and guard
SHEATH
Injection-molded nylon, removable & reversible belt loop, imported

BOX MODEL 0853BRS-B CATALOG 11109 | **CLAM** MODEL 0853BRS-C CATALOG 11110

863 SELKIRK

BLADE
Drop point, 420HC steel
BLADE LENGTH
4.625" (11.70 cm)
BLADE THICKNESS
0.135" (0.343 cm)
OVERALL LENGTH
9.50" (24.10 cm)
WEIGHT
7.60 oz (212.60 g)
HANDLE
Brown and black, contoured micarta with steel pommel and guard
SHEATH
Injection-molded nylon, imported. Can be configured into horizontal or vertical belt carry.
FEATURES
2.25" ferrocerium striker with whistle integrated in the grip. Rear bolster can be used as an improvised hammer.

BOX MODEL 0863BRS-B CATALOG 10180 | **CLAM** MODEL 0863BRS-C CATALOG 10181

220 SILVER CREEK 6.5" FOLDING FILLET

BLADE
Flexible fillet, titanium-coated 420J2 steel
BLADE LENGTH
6.50" (16.50 cm)
BLADE THICKNESS
0.075" (0.191 cm)
CLOSED LENGTH
7.25" (18.40 cm)
WEIGHT
6.00 oz (170.10 g)
HANDLE
Glass-reinforced polypropylene with TPE rubber and a stainless steel guard

BOX MODEL 0220BLS-B CATALOG 3201 | **CLAM** MODEL 0220BLS-C CATALOG 3202

223 SILVER CREEK 6" FILLET

BLADE
Flexible fillet, titanium-coated 420J2 steel
BLADE LENGTH
6.375" (16.20 cm)
BLADE THICKNESS
0.075" (0.191 cm)
OVERALL LENGTH
11.125" (28.30 cm)
WEIGHT
5.00 oz (142.00 g)
HANDLE
Glass-reinforced polypropylene with TPE rubber and a stainless steel guard
SHEATH
Injection-molded plastic with integrated belt clip and stylized drain hole, imported

BOX MODEL 0223BLS-B CATALOG 3116 | **CLAM** MODEL 0223BLS-C CATALOG 3117

225 SILVER CREEK 9" FILLET

BLADE
Flexible fillet, titanium-coated 420J2 steel
BLADE LENGTH
9.625" (24.40 cm)
BLADE THICKNESS
0.075" (0.191 cm)
OVERALL LENGTH
14.375" (36.50 cm)
WEIGHT
5.30 oz (150.20 g)
HANDLE
Glass-reinforced polypropylene with TPE rubber and a stainless steel guard
SHEATH
Injection-molded plastic with integrated belt clip and stylized drain hole, imported

BOX MODEL 0225BLS-B CATALOG 3118 | **CLAM** MODEL 0225BLS-C CATALOG 3119

ACCESSORIES AND GEAR

SHARPENERS

EDGETEK ULTRA FLIPSTIK

FLIPSTIK HANDLE DOUBLES AS A CASE!
Twist to lock or unlock!

BOX MODEL 97044-B CATALOG 4976 | **CLAM** MODEL 97044-C CATALOG 4977

MATERIAL
100% Diamond-coated, oval surfaces
SIZE
4.00" x 0.50"
(10.20 cm x 1.30 cm)
OVERALL LENGTH
9.00" (22.90 cm)
CLOSED LENGTH
5.00" (12.70 cm)
WEIGHT
3.00 oz (85.00 g)
GRIT
325 (Coarse)
750 (Medium)
1200 (Fine)

EDGETEK FIELD FLIPSTIK

FLIPSTIK HANDLE DOUBLES AS A CASE!
Twist to lock or unlock!

BOX MODEL 97043-B CATALOG 4974 | **CLAM** MODEL 97043-C CATALOG 4975

MATERIAL
100% Diamond-coated, oval surfaces
SIZE
4.00" x 0.75"
(10.20 cm x 1.90 cm)
OVERALL LENGTH
9.00" (22.90 cm)
CLOSED LENGTH
5.00" (12.70 cm)
WEIGHT
1.90 oz (53.90 g)
GRIT
750 (Medium) both sides

EDGETEK FISHING FLIPSTIK

FLIPSTIK HANDLE DOUBLES AS A CASE!
Twist to lock or unlock!

BOX MODEL 97032-B CATALOG 7590 | **CLAM** MODEL 97032-C CATALOG 7591

MATERIAL
100% Diamond-coated, oval surfaces
SIZE
4.00" x 0.50"
(10.20 cm x 1.30 cm)
OVERALL LENGTH
9.00" (22.90 cm)
CLOSED LENGTH
5.00" (12.70 cm)
WEIGHT
1.60 oz (45.40 g)
GRIT
325 (Coarse hook grooves)
750 (Medium, flat)

BOX MODEL 97082-B CATALOG 6253 | **CLAM** MODEL 97082-C CATALOG 6254

MATERIAL
100% Diamond-coated, oval surfaces
SIZE
10.00" x 0.50"
(25.40 cm x 1.30 cm)
OVERALL LENGTH
15.75" (40.00 cm)
WEIGHT
6.90 oz (195.60 g)
GRIT
325 (Coarse)
750 (Medium)
1200 (Fine)

EDGETEK STEEL 10"

BOX MODEL 97081-B CATALOG 6251 | **CLAM** MODEL 97081-C CATALOG 6252

MATERIAL
100% Diamond-coated, oval surfaces
SIZE
10.00" x 0.50"
(25.40 cm x 1.30 cm)
OVERALL LENGTH
15.25" (38.70 cm)
WEIGHT
3.30 oz (93.60 g)
GRIT
750 (Medium) both sides

EDGETEK DUAL FLAT POCKET STONE

BOX MODEL 97076-B CATALOG 6241 | **CLAM** MODEL 97076-C CATALOG 6242

MATERIAL
100% Diamond-coated surfaces
LENGTH
4.00" x 1.25"
(10.20 cm x 3.20 cm)
WEIGHT
1.30 oz (36.90 g)
GRIT
325 (Course)
750 (Medium)
SHEATH
Black vinyl

EDGETEK BENCH STONE (MEDIUM AND COARSE)

RED	**BOX** MODEL 97078-B CATALOG 6245	**CLAM** MODEL 97078-C CATALOG 6246
YELLOW	**BOX** MODEL 97077-B CATALOG 6243	**CLAM** MODEL 97077-C CATALOG 6244

MATERIAL
100% Diamond-coated surfaces
STONE LENGTH
6.00" x 2.00"
(15.20 cm x 5.10 cm)
OVERALL LENGTH
7.625" x 2.625"
(19.30 cm x 11.70 cm)
WEIGHT
4.60 oz (130.40 g)
GRIT
Red: 750 (Medium) single side
Yellow: 325 (Course) single side

SOFT ARKANSAS STONE

BOX MODEL 97017-B CATALOG 10094

MATERIAL
100% Natural quartz crystals - Novaculite
LENGTH
1.625" x 4.375"
(4.20 cm x 11.10 cm)
GRIT
500-600 (Course)
SHEATH
Black nylon

DIAMOND POCKET SHARPENER

BOX MODEL 97070-B CATALOG 5867

MATERIAL
Diamond sharpener in a retractable, pen style barrel. Tapered end for serrated blades. Fish hook groove. Flat side for straight blades. Pocket clip. Portable, versatile and durable for field use.
CLOSED LENGTH
5.125"
(13.10 cm)
GRIT
400 (Medium)

BUCK BRANDED

TIN TACKER SIGNS

FINEST KNIVES TIN TACKER SIGN

WIDTH
17.00" (43.18 cm)
HEIGHT
11.00" (27.94 cm)
FEATURES
- Aluminum construction
- Easy to hang
- Highly legible
- Made in the USA

MODEL 95305 CATALOG 14079

FAMOUS FOR HOLDING AN EDGE TIN TACKER SIGN

WIDTH
16.76" (42.57 cm)
HEIGHT
14.50" (36.83 cm)
FEATURES
- Aluminum construction
- Easy to hang
- Highly legible
- Made in the USA
- Embossed

MODEL 95309 CATALOG 14083

BUCK LOGO TIN TACKER SIGN

WIDTH
17.50" (44.45 cm)
HEIGHT
11.50" (29.21 cm)
FEATURES
- Aluminum construction
- Easy to hang
- Highly legible
- Made in the USA
- Embossed

MODEL 95283 CATALOG 13520

OVAL TIN TACKER SIGN

WIDTH
18.00" (45.72 cm)
HEIGHT
9.28" (23.57 cm)
FEATURES
- Aluminum construction
- Easy to hang
- Highly legible
- Made in the USA
- Embossed

MODEL 95306 CATALOG 14080

ALWAYS SHARP TIN TACKER SIGN

WIDTH
18.00" (45.72 cm)
HEIGHT
9.86" (25.04 cm)
FEATURES
- Aluminum construction
- Easy to hang
- Highly legible
- Made in the USA
- Embossed

MODEL 95307 CATALOG 14081



QUALITY BLADES TIN TACKER SIGN

WIDTH
12.00" (30.48 cm)
HEIGHT
15.00" (38.10 cm)
FEATURES
- Aluminum construction
- Easy to hang
- Highly legible
- Made in the USA

MODEL 95308 CATALOG 14082

REP THE LIFESTYLE

BUCK HATS

GRAY/BURNT RED BUCK KNIVES MFG CO MESH SNAPBACK
MODEL 89175 CATALOG 13889

MARSH DUCK CAMO MESH SNAPBACK
MODEL 89177 CATALOG 13891

BLAZE DUCK CAMO MESH SNAPBACK
MODEL 89179 CATALOG 13893

BLACK/CHARCOAL LEATHER PATCH MESH SNAPBACK
MODEL 89184 CATALOG 14245

O.D. GREEN LEATHER PATCH MESH SNAPBACK
MODEL 89183 CATALOG 14244

BLACK/BONE U.S.A. FELT PATCH MESH SNAPBACK
MODEL 89185 CATALOG 14246

BLAZE ORANGE LOGO PVC PATCH MESH SNAPBACK
MODEL 89190 CATALOG 14251

CHARCOAL EMBROIDERED PATCH MESH SNAPBACK
MODEL 89188 CATALOG 14249

O.D. GREEN EMBROIDERED PATCH MESH SNAPBACK
MODEL 89189 CATALOG 14250

NAVY ROUNDED FELT PATCH 5-PANEL MESH SNAPBACK
MODEL 89186 CATALOG 14247

MOSS ROUNDED FELT PATCH 5-PANEL MESH SNAPBACK
MODEL 89187 CATALOG 14248

QUALITY BRANDED

BUCK T-SHIRTS

With a variety of colors and custom screen printed designs, these 60% cotton/40% polyester blend tees belong in the outdoors.

BUCK KNIVES LOGO TEE
Charcoal

MODEL 13470-SML CATALOG 14332
MODEL 13470-MED CATALOG 14333
MODEL 13470-LRG CATALOG 14334
MODEL 13470-XLG CATALOG 14335
MODEL 13470-2XL CATALOG 14336
MODEL 13470-3XL CATALOG 14337
MODEL 13470-4XL CATALOG 14338

BUCK KNIVES LOGO TEE
Dusty Sage

MODEL 13468-SML CATALOG 14318
MODEL 13468-MED CATALOG 14319
MODEL 13468-LRG CATALOG 14320
MODEL 13468-XLG CATALOG 14321
MODEL 13468-2XL CATALOG 14322
MODEL 13468-3XL CATALOG 14323
MODEL 13468-4XL CATALOG 14324

STACKED LOGO TEE
Charcoal

MODEL 13464-SML CATALOG 14290
MODEL 13464-MED CATALOG 14291
MODEL 13464-LRG CATALOG 14292
MODEL 13464-XLG CATALOG 14293
MODEL 13464-2XL CATALOG 14294
MODEL 13464-3XL CATALOG 14295
MODEL 13464-4XL CATALOG 14296

BUCK KNIVES LOGO TEE
Navy

MODEL 13469-SML CATALOG 14325
MODEL 13469-MED CATALOG 14326
MODEL 13469-LRG CATALOG 14327
MODEL 13469-XLG CATALOG 14328
MODEL 13469-2XL CATALOG 14329
MODEL 13469-3XL CATALOG 14330
MODEL 13469-4XL CATALOG 14331

BUCK KNIVES LOGO TEE
Dark Red

MODEL 13467-SML CATALOG 14311
MODEL 13467-MED CATALOG 14312
MODEL 13467-LRG CATALOG 14313
MODEL 13467-XLG CATALOG 14314
MODEL 13467-2XL CATALOG 14315
MODEL 13467-3XL CATALOG 14316
MODEL 13467-4XL CATALOG 14317

ROUNDED BADGE TEE
Gray

MODEL 13463-SML CATALOG 14283
MODEL 13463-MED CATALOG 14284
MODEL 13463-LRG CATALOG 14285
MODEL 13463-XLG CATALOG 14286
MODEL 13463-2XL CATALOG 14287
MODEL 13463-3XL CATALOG 14288
MODEL 13463-4XL CATALOG 14289

BUCK SKULL TEE
Black

MODEL 13466-SML CATALOG 14304
MODEL 13466-MED CATALOG 14305
MODEL 13466-LRG CATALOG 14306
MODEL 13466-XLG CATALOG 14307
MODEL 13466-2XL CATALOG 14308
MODEL 13466-3XL CATALOG 14309
MODEL 13466-4XL CATALOG 14310

BUCK SKULL TEE
Coyote

MODEL 13465-SML CATALOG 14297
MODEL 13465-MED CATALOG 14298
MODEL 13465-LRG CATALOG 14299
MODEL 13465-XLG CATALOG 14300
MODEL 13465-2XL CATALOG 14301
MODEL 13465-3XL CATALOG 14302
MODEL 13465-4XL CATALOG 14303

COIN BADGE TEE
Charcoal

MODEL 13462-SML CATALOG 14276
MODEL 13462-MED CATALOG 14277
MODEL 13462-LRG CATALOG 14278
MODEL 13462-XLG CATALOG 14279
MODEL 13462-2XL CATALOG 14280
MODEL 13462-3XL CATALOG 14281
MODEL 13462-4XL CATALOG 14282

WESTERN TEE
Military Green

MODEL 13461-SML CATALOG 14269
MODEL 13461-MED CATALOG 14270
MODEL 13461-LRG CATALOG 14271
MODEL 13461-XLG CATALOG 14272
MODEL 13461-2XL CATALOG 14273
MODEL 13461-3XL CATALOG 14274
MODEL 13461-4XL CATALOG 14275

WESTERN TEE
Black

MODEL 13460-SML CATALOG 14262
MODEL 13460-MED CATALOG 14263
MODEL 13460-LRG CATALOG 14264
MODEL 13460-XLG CATALOG 14265
MODEL 13460-2XL CATALOG 14266
MODEL 13460-3XL CATALOG 14267
MODEL 13460-4XL CATALOG 14268

DISPLAYS

ACRYLIC DISPLAY STANDS

5-KNIFE STAND

Clear acrylic with black Buck logo
**Knives not included*

WIDTH 4.125" (11.80 cm)
HEIGHT 3.75" (9.50 cm)
DEPTH 5.50" (14.00 cm)

MODEL 21005
CATALOG 5519

3-KNIFE STAND

Clear acrylic with black Buck logo
**Knives not included*

WIDTH 4.125" (11.80 cm)
HEIGHT 3.75" (9.50 cm)
DEPTH 5.50" (14.00 cm)

MODEL 21004
CATALOG 2188

1-KNIFE STAND

Clear acrylic with black Buck logo
**Knives not included*

WIDTH 1.50" (3.80 cm)
HEIGHT 2.00" (5.10 cm)
DEPTH 2.00" (5.10 cm)

MODEL 21008
CATALOG 2192

SINGLE SLOT 1-KNIFE STAND

Clear acrylic with black Buck logo
**Knives not included*

WIDTH 1.50" (3.80 cm)
HEIGHT 1.125" (4.40 cm)
DEPTH 1.125" (4.40 cm)

MODEL 21006
CATALOG 2190

MULTI-TIER DISPLAY STANDS

3-TIER KNIFE GLORIFIER

WIDTH 9.13" (23.19 cm)
HEIGHT 7.50" (19.05 cm)
DEPTH 8.38" (21.29 cm)

MODEL 21088
CATALOG 13895

**Knives not included*

5-TIER KNIFE GLORIFIER

WIDTH 9.13" (23.19 cm)
HEIGHT 14.00" (35.56 cm)
DEPTH 11.88" (30.18 cm)

MODEL 21089
CATALOG 13896

**Knives not included*

1-TIER KNIFE GLORIFIER

WIDTH 9.13" (23.19 cm)
HEIGHT 5.00" (12.70 cm)
DEPTH 3.00" (7.62 cm)

MODEL 21087
CATALOG 13894

**Knives not included*

ILLUMINATED SIGN

WIDTH 23.00" (58.42 cm)
HEIGHT 17.00" (43.18 cm)
DEPTH 0.50" (1.27 cm)

FEATURES
- LED illumination
- Aluminum and acrylic construction
- Multiple hanging options
- Low-draw LED with high output
- Made in the USA

MODEL 95284 CATALOG 13521

COUNTER DISPLAY

WIDTH 16.75" (42.55 cm)
HEIGHT 26.00" (66.04 cm)
DEPTH 10.00" (25.40 cm)

MODEL 21090 CATALOG 13897
**Knives not included*

FLOOR DISPLAYS



WITH GLASS SHELVES

MODEL 21091 CATALOG 13898
**Knives not included*

WITH MAGNETIC SHELVES

MODEL 21092 CATALOG 13899
**Knives not included*

WIDTH 24.00" (60.96 cm)
HEIGHT 72.00" (182.88 cm)
DEPTH 18.00" (45.72 cm)

BLADE INFO, KNIFE FEATURES, AND LOCKING MECHANISMS

KNIFE KNOW-HOW

COMMON BLADE SHAPES



CLIP POINT

A clip point blade features a concave or straight cut-out on the spine leading to the blade tip. This creates a narrow, sharp tip and is excellent for detail work and piercing.

DROP POINT

A drop point blade has a spine that slopes down along the spine toward the tip of the blade. This creates a tougher tip that is easier to control and is excellent for slicing.

SKINNER

A skinner blade has a curved belly and upswept tip along the cutting edge. This shape excels at cutting through thick layers and also reduces the risk of accidental punctures.

TANTO

A tanto blade has a distinct angular edge. This creates a very tough blade for heavy use including piercing, scraping, and prying.

CLEAVER

A cleaver has a flat or slightly curving edge without an obvious tip. This blade shape is great for chopping and slicing.



WHARNCLIFFE

A Wharncliffe blade has a straight edge and an abrupt, downward-sloping spine at the tip. This blade is great for hard use, but also excels at precise detail work.

COPING

A coping blade is a narrow blade with an angular tip. This blade is designed to cut in tight spaces or to cut curved patterns.

PEN

A pen knife was originally developed to trim quill pens. This blade is essentially a miniature spear point.

SHEEPSFOOT

A sheepsfoot blade is similar to the Wharncliffe but has a blunter tip. This blade is great for slicing and avoiding punctures.

SPEY

A spey blade was originally developed to neuter farm animals and, consequently, has a blunt tip to avoid punctures. This blade tends to be small and is good for sweeping strokes or skinning.

COMMON KNIFE STEELS

The Rockwell Rating (RC) is the scale that measures the hardness of blade steel.

RC 62-64

MagnaCut is a top-tier stainless steel that was designed specifically for knives. Utilizing CPM (Crucible Particle Metallurgy), MagnaCut offers an excellent mix of toughness, corrosion resistance, and edge retention not found on other high-hardness steels. A carefully balanced mix of alloyed elements and grain structure gives MagnaCut excellent performance, resulting in a steel that stays sharp even with heavy use. These properties make MagnaCut an outstanding choice for those who need a reliable, high-performing blade in demanding conditions.

RC 59-61

S35VN is a high-performance stainless steel known for its excellent balance of toughness, edge retention, and corrosion resistance. Utilizing CPM, S35VN was developed to improve on the existing qualities of S30V, with enhanced roughness and easier sharpening. Highly regarded in the knife industry, this steel is a top choice for both premium folding knives and fixed blades. Its ability to sustain a sharp edge while being relatively easy to maintain makes it ideal for everyday carry and outdoor use.

RC 58-62

154CM is a modification of 440C where molybdenum has been added. With greater corrosion/wear resistance, better edge retention, and a higher Rockwell hardness than 440C, 154CM's combination of traits make this an excellent choice in pocket knives, where edge retention and ease of sharpening in the field matter.

RC 58-60

420HC is a stainless steel that offers good corrosion resistance, ease of sharpening, and toughness at a budget-friendly price. This steel is a good choice for every kind of knife from hunting to kitchen to EDC, especially where durability and ease of maintenance are key considerations.

RC 57-58

5160 is a high-carbon steel known for its exceptional toughness and durability. Originally used in automotive springs, it is a popular choice for heavy-duty applications like axes and chopping tools. 5160 offers excellent resistance to shock and stress while being easy to sharpen, at the expense of corrosion resistance.

RC 57-59

D2 steel is a semi-stainless tool steel known for its excellent hardness, wear resistance, and durability. D2 is often used in applications requiring fair toughness and the ability to hold a sharp edge, such as in cutting tools and knives. However, it has moderate corrosion resistance compared to fully stainless steels.

KNIFE STEEL ATTRIBUTES

Info from BladeHQ and Knife Steel Nerds



SALES TERRITORIES



HEAD SALES REPS

J HARDING ASSOCIATES
(503)359-5233
or (800)735-2825 ext. 447

DOUG NELSON & ASSOCIATES
(608)239-8935
or (800)735-2825 ext. 110

TACKETT BROTHERS, INC
(479)586-4525
or (800)735-2825 ext. 110

BELHUMEUR
(604)814-2161
or (800)735-2825 ext. 447

UPPER CANADA SPORTS
(905)562-0162
or (800)735-2825 ext. 180

IN-HOUSE
(800)735-2825 ext. 180

IN-HOUSE
(800)735-2825 ext. 110

INSIDE SALES CONTACTS

BECKY TAMASONIS
(800)735-2825 ext. 180
rtamasonis@buckknives.com

JEAN STEVENS
(800)735-2825 ext. 110
jstevens@buckknives.com

DEJA WHITE
(800)735-2825 ext. 447
dwhite@buckknives.com

BUCK KNIVES

EMAIL
dealer@buckknives.com

PHONE
(800)735-2825

INTERNATIONAL PHONE
(208)262-0500 ext. 180

FAX
(208)258-3280

ADDRESS
660 S Lochsa St
Post Falls, ID 83854

KNIFE SKU INDEX

0055BRS	52	0191BRG	19	0303GYS2	66	0685BKG	30	0791GRS1	45
0102BKS	17	0192BRS	19	0325SSS	60	0685BKS	30	0791GRS	43
0102CCS1	15	0220BLS	75	0327CFS	60	0691BKG	19	0791GYS1	45
0103BKS	17	0223BLS	75	0327SSS	60	0692BKS	19	0791GYS	43
0103CCS1	15	0225BLS	75	0327TTS	60	0698BKS	55	0811BKS	58
0104BRS1	73	0239BKS1	56	0341RWS	53	0698BRS	55	0811CMS	58
0105BKS	17	0239BKS	56	0346RWS	53	0698GYS	55	0812BRX	59
0105CCS1	15	0239GRS	56	0371BRS	68	0700BKS	55	0812ORX	59
0108BRS1	73	0239ORS	56	0373BRS	68	0700BLS	55	0813BKS	58
0110BKS1	48	0251BKS	56	0375BRS	68	0700BRS	55	0813CMS	58
0110BKSA	11	0251GRS	56	0379BRS	68	0713BLS	57	0814BRS	59
0110BKSLT	11	0252BKS	62	0382BRS	69	0713CPS	57	0814ORS	59
0110BRS	10	0252TNS	62	0385BRS	69	0713GRS	57	0835BRS	74
0110BRS19	39	0254SSS	62	0389BRS	69	0714BKS	57	0836BRS	74
0110BRS20	39	0259CFS	62	0501RWS	52	0714BLS	57	0838BKS	47
0110BRSA	11	0262GYS	63	0503RWS	52	0714GRS	57	0838GYS1	47
0110BRSFG	10	0262ODS	63	0631BKS	31	0722BKS1	50	0838BRS1	47
0110GRS5	49	0263GYS	63	0635BKS	31	0722GYS1	50	0839BKS	47
0110ODS2	48	0264GYS	63	0656GRS	33	0722ORS1	50	0839GYS1	47
0110ORS2	48	0284BKS	34	0657GRG	33	0724BLS	41	0839BRS1	47
0112BKS1	48	0284CMS24	34	0658GRS	33	0724BLS1	41	0840BKS1	51
0112BKSA	13	0284CMS9	34	0659GRS	33	0724ORS	41	0840BLS	51
0112BRS	13	0285BKS	35	0660GRG	33	0726BKS	50	0840GRS	51
0112BRS19	39	0285CMS24	35	0661GRS	33	0726GYS	50	0853BRS	74
0112BRS20	39	0285CMS9	35	0662BKS	25	0726ORS	50	0863BRS	74
0112BRSA	13	0286BKS	35	0662BKS1	29	0743CFS	61	0870BKX	60
0112BRSFG	13	0286CMS24	35	0662BRS	26	0743SSS	61	97017	79
0112GRS5	49	0286CMS9	35	0662WAS	26	0744CFS	61	97032	78
0112ODS2	48	0301BKS1	67	0663BKS	25	0744SSS	61	97043	78
0112ORS	48	0301BLS	67	0663BKS1	29	0790BKS1	45	97044	78
0113BRS	21	0301BRS3	67	0663BRS	27	0790BKS	43	97070	79
0117BKS	17	0301BRS2	67	0663WAS	27	0790GRS1	45	97076	79
0117CCS1	15	0301GYS2	67	0664BKS	25	0790GRS	43	97077	79
0119BKS	17	0303BKS1	66	0664BKS1	29	0790GYS1	45	97078	79
0119CCS1	15	0303BLS	66	0664BRS	27	0790GYS	43	97081	78
0120BKS	17	0303BRS3	66	0664WAS	27	0791BKS1	45	97082	78
0120CCS1	15	0303BRS2	66	0684BKS	30	0791BKS	43		

©2025 Buck Knives, Inc. No part of this catalog may be used or reproduced in any form, for any purpose without the express written consent of Buck Knives, Inc. Certain utility and design patents issued to Buck Knives are noted, however, Buck Knives holds additional patents pending, design and utility patents both domestic and foreign on products in this catalog. All trademarks indicated are owned and/or registered by Buck Knives, Inc. except as follows: DynaFlex and VersaFlex are a registered trademarks of Polyone Corp.; Micarta is a registered trademark of Industrial Laminates/Norplex, Inc.; Mossy Oak, Mossy Oak Break-Up COUNTRY and Mossy Oak Blaze are registered trademarks of Haas Outdoors, Ind.; FlipStik and JewelStik are registered trademarks of Hewlett Manufacturing; Cerakote is a registered trademark of NIC Industries, Inc. an Oregon corporation; DymaLux is a registered trademark of Cousineau Wood Products of Maine, LLC.

Knife laws and regulations can vary significantly from location to location. As such, certain styles, sizes and blades may not be permitted in certain locations and areas. Buck Knives produces many different types of knives for a wide variety of legitimate everyday use. However, due to the complex and ever changing nature of knife laws and regulations, it is not possible for Buck Knives to be aware of specific prohibitions in areas where its knives may be purchased, carried, or used. It is the responsibility of the buyer/user to investigate, understand and comply with any and all laws and regulations that may apply to his or her area. The buyer/user is solely responsible for any claims arising from violations of these laws or regulations or any unintended use or misuse of the product.

The sale of automatic knives is federally regulated. Always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. NO EXCEPTIONS WILL BE MADE. Purchase of automatic knives must be preceded by the submission of an Automatic Knife Acknowledgement Form. Shipping of Automatic Knives: Automatic knives shipped by Buck Knives, Inc will be sent via common courier and CANNOT be shipped by the U.S. Postal Service. All returns of automatic knives must be shipped via common courier as well, and not by the U.S. Postal Service. Our policy requires that all automatic knives require a signed Automatic Knife Acknowledgement Form.

BUCK KNIVES, INC.

660 S LOCHSA STREET
POST FALLS, ID 83854

WEB
BUCKKNIVES.COM

PHONE
800.735.2825
208.262.0500

EMAIL
DEALER@BUCKKNIVES.COM

MODEL 12066
CATALOG 14560
PRINTED IN THE USA